

SPILL PALLETS



SJ-001 Holds (4) 55 gal. Steel Drums, 52.6" x 52.6" x 12", 66 gal. Sump Capacity

This cost-effective drum pallet shares many features with our more expensive models - plus it's made from recycled content!

- These pallets may be economical, but they're strong enough to handle long-term storage of fully loaded steel drums
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- 4-way forklift entry allows access from any direction for easy movement (unloaded only)
- Optional .75" drain plug lets you empty sump without removing drums or grating
- We test all of our Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility



| Item# | Description | Dimensions | Weight |
|-----------------|-------------|---------------------------|---------|
| SJ-001 - 606-WD | With Drain | 52.6" W x 52.6" L x 12" H | 85 lbs. |

Metric Equivalent:

| Item# | Description | Dimensions | Weight |
|-----------------|-------------|----------------------------------|---------|
| SJ-001 - 606-WD | With Drain | 133.6cm W x 133.6cm L x 30.5cm H | 38.6 kg |

Specifications

| | |
|--------------------------|---|
| Holds | (4) 55 gal. Steel Drums |
| Color | Black |
| Dimensions | 52.6" W x 52.6" L x 12" H |
| Recycled Content | 95% Post-Industrial Recycled Polyethylene |
| Load Capacity UDL | 5000 lbs. |
| Sump Capacity | 66 gal. |

| | |
|------------------------------|--|
| Brand | PIG |
| Double-Stackable Unit | No |
| Drain | Optional .75" Drain |
| Fork Truck Access | Four-Way Fork Access, Move Unloaded Only |
| Grates | (2) 48" L x 24" W Grates |
| Use With Flammables | No |
| Sold as | 1 each |
| Weight | 85 lbs. |
| # per Pallet | 9 |
| Composition | Sump - Polyethylene (LDPE) w/ UV Inhibitor Grate - Polyethylene |
| UNSPSC | 24101905 |
| Pigalog® Page Number | <u>Page 370</u> |

Metric Equivalent

| | |
|--------------------------|----------------------------------|
| Dimensions | 133.6cm W x 133.6cm L x 30.5cm H |
| Load Capacity UDL | 2268 kg |
| Sump Capacity | 249.8 L |
| Weight | 38.6 kg |

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance please call Technical Services.

Poly Drum Notice

Not recommended for long term storage of poly drums.

SPILL PALLETS



SJ-002 Holds (4) 55 gal. Plastic or Steel

Drums, 52" x 52" x 5.75", 44 gal. Sump

Capacity

Manage small leaks and drips that mess up your floor and containers with tough New Pig decks.

- The strongest drip decks you can buy won't buckle or bow. Guaranteed for life.
- Low-profile 5.75"H design is easy to load or unload; pumps and funnels are easy to access
- Molded-in sump catches leaks, drips and spills to help keep your storage areas clean and safe
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- We test all of our Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility

Specifications

| | |
|------------------------------|---|
| Holds | (4) 55 gal. Plastic or Steel Drums |
| Color | Black/White |
| Dimensions | 52" W x 52" L x 5.75" H |
| Recycled Content | 48% Post-Industrial Recycled Polyethylene |
| Load Capacity UDL | 6000 lbs. |
| Sump Capacity | 44 gal. |
| Brand | PIG |
| Double-Stackable Unit | No |
| Drain | None |
| Fork Truck Access | No Fork Truck Access |
| Grates | (2) 48" L x 24" W Grates |
| Use With Flammables | No |
| Sold as | 1 each |
| Weight | 70 lbs. |

| | |
|------------------------------------|--|
| NSN (National Stock Number) | 4235-01-531-9808 |
| # per Pallet | 20 |
| Composition | Sump - Polyethylene (LDPE) w/ UV Inhibitor Grate - Polyethylene |
| UNSPSC | 24101905 |
| Pigalog® Page Number | <u>Page 373</u> |

Metric Equivalent

| | |
|--------------------------|----------------------------------|
| Dimensions | 132.1cm W x 132.1cm L x 14.6cm H |
| Load Capacity UDL | 2721.6 kg |
| Sump Capacity | 166.5 L |
| Weight | 31.8 kg |

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance please call Technical Services.



SJ-003 Holds (4) 55 gal. Plastic or Steel Drums, 62.5" x 62.5" x 8.75", 75 gal. Sump Capacity

The strongest pallets you can buy won't buckle or bow, even under the heaviest loads! Guaranteed for life.

- The strongest, most durable containment pallets you can buy won't buckle or bow. We guarantee it.
- Strong enough for long-term storage of liquids with high specific gravities
- Innovative design transfers weight to load-bearing channels to maximize capacity
- Molded-in sump catches leaks, drips and spills to help you comply with regulations and keep your storage areas clean and safe
- Low height means loading and unloading require less effort and drum tops are within easier reach
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Optional .75" drain plug lets you empty sump without removing drums or grating
- 4-way forklift entry allows easy movement from any direction (loaded or unloaded)
- We test all of our Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility

| Item# | Description | Dimensions | Weight |
|--------------------|-------------------|-----------------------------|----------|
| SJ-003 - 672-BK-WD | Black, With Drain | 62.5" W x 62.5" L x 8.75" H | 140 lbs. |

Metric Equivalent:

| Item# | Description | Dimensions | Weight |
|--------------------|-------------------|----------------------------------|---------|
| SJ-003 - 672-BK-WD | Black, With Drain | 158.8cm W x 158.8cm L x 22.2cm H | 63.5 kg |

Specifications

| | |
|------------------------------|--|
| Holds | (4) 55 gal. Plastic or Steel Drums |
| Dimensions | 62.5" W x 62.5" L x 8.75" H |
| Recycled Content | 48% Post-Industrial Recycled Polyethylene |
| Load Capacity UDL | 9000 lbs. |
| Sump Capacity | 75 gal. |
| Brand | PIG |
| Double-Stackable Unit | No |
| Drain | Optional .75" Drain |
| Fork Truck Access | Four-Way Fork Access, Can Move Loaded |
| Grates | (2) 52" L x 26" W Grates |
| Use With Flammables | No |
| Sold as | 1 each |
| Weight | 140 lbs. |
| # per Pallet | 10 |
| Composition | Sump - Polyethylene (LDPE) w/ UV Inhibitor Grate - Polyethylene |
| UNSPSC | 24101905 |
| Pigalog® Page Number | <u>Page 369</u> |

Metric Equivalent

| | |
|--------------------------|----------------------------------|
| Dimensions | 158.8cm W x 158.8cm L x 22.2cm H |
| Load Capacity UDL | 4082.4 kg |
| Sump Capacity | 283.9 L |
| Weight | 63.5 kg |

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services


SJ-100-006 / SJ-100-007



SJ-100-006



SJ-100-007

















Features/Caractéristiques/Merkmale/Características

Spill pallet for 4 drums • Removable platform • For static spill containment • Remove drums before fork lifting • Compatible with most forklifts and pallet trucks • Made from PE - 100% recyclable.

Palette de rétention pour stocker 4 fûts • Caillebotis amovible • Usage statique uniquement: ne peut pas être utilisée pour transporter les matières dangereuses (fûts) • Ceux-ci doivent être retirés avant toute manipulation par chariot élévateur ou transpalette • Manipulable avec la plupart des chariots élévateurs et transpalettes • 100% PE • 100% recyclable.

Auffangwanne für 4 Fässer • abnehmbare Lochplatte • für den stationären Gebrauch • vor Transport mit Stapler Fässer entfernen • für die meisten Stapler/Handhubwagen geeignet • aus PE - 100%ig recycelbar.

Palet de derrames para 4 bidones • Cubierta desmontable • Palet fijo para derrames • Quite los bidones antes de utilizar una carretilla elevadora • Para usar con la mayoría de carretillas elevadoras y transpaletas • Fabricado en polietileno (PE) 100% reciclable.


| |  mm |  mm |  mm |  kg |  |  mm |  |  |  | A/B mm | C/D mm |  kg |
|------------|--|--|--|--|---|--|---|--|---|-----------|-----------|--|
| SJ-100-006 | 280 | 1380 | 1290 | 31 |  | 630 x 1180 x 55 |  | 250 | 4 | 270 / 710 | 400 / 840 | 1250 |
| SJ-100-007 | | | | |  | |  | | | | | |

Technical Data / Fiche Technique / Technische Daten / Datos Técnicos


Spill Pallets ■ Palettes de rétention ■ Auffangwannen ■ Palets para derrames



SJ-100-006 / SJ-100-007



SJ-100-006/007 - 10 units per pallet / 10 pièces par palette / 10 Teile pro Palette / 10 piezas por palé



SJ-110-006 / SJ-110-007



SJ-110-006

Features/Caractéristiques/Merkmale/Características

Stackable - space saving, innovative, protected design guarantees ultra-low delivery costs for multiple units • Low height for ease of use (305 mm) • Load Weight & Hydrostatic tested • Generous storage area (1.8 m²) for four 205 litre oil drums or multiple small containers • Platform with hand inserts and holes for inspection & pump insertion • Storage and transport space are minimized to make the product environmentally friendly and affordable • Compatible with most forklifts and pallet trucks, use extensions when needed • Remove drums / containers and empty spill pallet before moving • Capacity of 236 litres to underside of platform meets European and US legislation • Fully recyclable, chemical resistant, UV-stabilised PE • Unique spill containment sump designed to stack highly efficiently to minimize transport costs to the distributor and the end user.

Emboitable - modèle déposé innovant, économise l'espace et garantit des coûts de transport très bas sur des pièces multiples • Petite hauteur (305 mm) facilitant l'utilisation • Testée pour sa résistance hydrostatique et à la charge • Grande surface de stockage (1.80 m²) pour 4 fûts de 205 litres ou pour plusieurs petits récipients • Caillebotis avec regards d'inspection et ouvertures pour mains et pompes • Minimise l'espace requis pour le stockage et le transport, pour un produit abordable et respectueux de l'environnement • Passage pour fourches de chariots élévateurs ou transpalettes pour déplacement à vide • Retirer les fûts / récipients et vider le bac de rétention avant de le déplacer • Capacité de 236 litres en dessous du caillebotis, en conformité avec les législations Européennes et USA • PE entièrement recyclable, résistant à la plupart des produits chimiques et aux UV • Modèle de bac de rétention unique, conçu pour s'emboîter très efficacement afin de minimiser les coûts de transport du distributeur et de l'utilisateur.





stapelbar - platzsparendes, innovatives, geschütztes Design garantiert extrem niedrige Versandkosten bei Mehrfachaufträgen • geringe Arbeitshöhe (305 mm) • Belastungsversuche und Auffangvolumentest • Großzügige Stellfläche (1,8 m²) für 4 Fässer à 205 Liter bzw. Kleingebinde • Lochplatte mit Kontrollöffnungen und Aussparungen für Pumpen und Handhabung • umweltfreundlich und erschwinglich durch platzsparende(n) Lagerhaltung/Transport • für die meisten Stapler /Handhubwagen geeignet, ggf. Gabelverlängerungen benutzen • vor Transport Fässer entfernen und Wanne leeren • Auffangvolumen (236 l bis Unterkante Lochplatte) erfüllt europäische und US-Vorschriften • vollständig recycelbares, chemikalienbeständiges, UV-stabiles MDPE • einzigartiges Auffangwannendesign zum hoch effizienten Stapeln garantiert optimale Frachtkosten für Lieferpartner bzw. den Endverbraucher.

Apilable, ahorra espacio, innovador, diseño protegido garantiza costes de transporte super bajos por unidades múltiples • Altura baja (305 mm) para facilitar el uso • Peso de carga y características hidrostáticas comprobados • Zona amplia de almacenaje (1,8 m²) para 4 bidones de 205 litros o varios recipientes pequeños • Plataforma con acceso para los manos y agujeros para inspección y para la inserción de bombas • Los espacios de almacenamiento y transporte son minimizados para hacer el producto respetuoso del medio ambiente y económico • Compatible con la mayoría de carretillas elevadoras y transpaletas - Usar horquillas prolongadas cuando sea necesario • Descargar los bidones/recipientes y vaciar el cubeto antes de moverlo • Una capacidad de 236 litros hasta la parte inferior de la plataforma está en línea con las normas vigentes en la CEE y los EE UU • PE 100% reciclable resistente a los rayos UV • Cubeto de retención único diseñado para ser muy apilable para reducir los costes de transporte al distribuidor y los usuarios finales.



| | mm | mm | mm | kg | | mm | | | | A/B mm | C/D mm | kg |
|------------|-----|------|------|----|--|------------------|---|-----|---|-----------|-----------|------|
| SJ-110-006 | 305 | 1460 | 1460 | 37 | | 1340 x 1340 x 50 | * | 249 | 4 | 400 / 840 | 400 / 840 | 1250 |
| SJ-110-007 | | | | | | | | | | | | |

*Yellow / Jaune / Gelb / Amarillo

SJ-110-006 / SJ-110-007



B-B (1 : 20)



**PALLETISATION ♦ PALETTISATION ♦
PALETTIERUNG ♦ PALETIZACIÓN**

20 units per pallet
20 pièces par palette
20 Teile pro Palette
20 piezas por palé